


FLEX-C-MENT

THE ORIGINAL
Vertical Stamping





FLEX-C-MENT



THE ORIGINAL
Vertical Stamping



O nás

Flex C-Ment je dekoračný betónový systém, ktorý bol vyvinutý v USA pred viac ako 25 rokmi. Spoločnosť DBS Ltd. vyrába produkty značky Flex C-Ment na základe licenčnej zmluvy od r. 2004.

Firma v súčasnosti exportuje systémy Flex C-Ment do vyše 40 krajín Európy, Ázie, Stredného východu a Afriky.

Flex C-Ment ponúka široký výber moderných i klasických aplikácií určených pre interiéry i exteriéry, ktoré sú aplikovateľné na takmer všetky existujúce povrchy. Systém ponúka a umožňuje ľahkú inštaláciu, rýchlosť

About Us

Flex-C-Ment is a decorative concrete system which was developed in USA over 25 years ago. DBS Ltd has been manufacturing Flex-C-Ment products under a licensing agreement since 2004.

DBS Ltd is currently exporting Flex-C-Ment Systems to over 40 countries in Europe, Asia, Middle East and Africa.

Flex-C-Merit offers a wide variety of modern and classical application options indoors and outdoors on almost any existing surface. It offers easy installation, speed, light weight as well as natural look and feel.

FLEX-C-MENT

THE ORIGINAL *Vertical Stamping*

Vzhľad a kvalita

Pri aplikácii skúseným pracovníkom, osvedčená technológia výrobkov Flex C-Ment umožňuje vytvorenie širokej škály dizajnov a textúr, a tak dokáže poskytnúť zákazníkovi požadovanú aplikáciu.

- Môže byť aplikovaná na rozličné izolačné materiály, vrátane širokého rozsahu polystyrénov a izolačných dosiek;
- Trvanlivosť aplikácie - vydrží tak dlho, ako podkladový materiál, na ktorý je nanosený;
- Farby odolné voči UV žiareniu;
- Vlastnosť odpudivosti vody umožňuje použitie v problematických lokalitách;
- Testom overená odolnosť voči ohňu;
- Súvislá aplikácia bez puklín, čím sa zabraňuje vzniku životného priestoru pre burinu, resp. hmyz;
- Antibakteriálne;
- Priedušné. Vynikajúce izolačné vlastnosti. Účinne zvládajúce problémy súvisiace s vlhkosťou;
- Aplikovateľné na takmer všetky povrchy, vrátane betónu, polystyrénu, sadrokartónových dosiek;
- Pri správnej aplikácii sa neoddeľuje, neodlepuje, neopadáva ani neláme;
- Vzhľadom na ľahkosť materiálu môže byť nanášaný na vysoké budovy bez obmedzenia;
- Odolný voči mrazu a vhodný pre extrémne klimatické podmienky, či už vysoké teploty alebo mrazy.



Esthetics & Quality

When applied by trained installers, the proven technology of Flex-C-Ment products enables the creation of wide variety of designs and textures to provide the end user with a custom application.

- It can be applied on variety of insulation products including various grades of polystyrene and insulation boards.
- Durable as permanent as the subsurface applied upon.
- UV resistant colors.
- Water repellent qualities makes it possible to be applied in difficult locations.
- Test proven fire resistant qualities.
- One piece application with no joints. Does not create a habitat for weeds and insects.
- Antibacterial.
- Breathable. Excellent insulation qualities. Effective in controlling moisture related problems.
- Can be applied on almost any surface including concrete, brick, tiles, polystyrene, OSB, gypsum board, etc.
- Does not separate, fall or break when applied properly.
- Lightweight material can be applied on high structures without any limits.
- Freeze-thaw resistant and suitable for extreme climates both hot and cold.

FLEX-C-MENT

THE ORIGINAL
Vertical Stamping



Aplikácie Flex C-Ment výrobkov je možné realizovať vo vnútri i vonku bez prípravy, resp. s minimálnou prípravou. Dokonca i v tesných priestoroch je možné dosiahnuť nového vzhľadu - efektu po nanesení iba 1-2 cm hrubej vrstvy. Pre špeciálne dizajny, materiál môže byť aplikovaný jednorázovo až do hrúbky 10 cm.



Indoors and outdoors, Flex-C-Ment applications can be done with little or no preparations. Even in tight spaces, a new look can be achieved with overlays as little as 1 or 2 centimeters thick. For special designs material can be applied up to 10 centimeters at one time.



Pri aplikácii na podlahu môže byť Flex C-Ment nanášaný priamo na akýkoľvek stabilný povrch, ako napr. betón, mramor alebo keramické dlaždice. Lesklý alebo matný efekt sa dá dosiahnuť pomocou vhodného ochranného laku.

On floor applications, the Flex-C-Ment overlay can be applied directly on any stable surface such as existing concrete, ceramic tile or marble. Glossy or Matt finishes or non-slip qualities can be achieved by an application of the desired protective sealant.



FLEX-C-MENT



THE ORIGINAL
Vertical Stamping





Flex C-Ment je navrhnutý a vyrobený tak, aby ho bolo možné použiť kdekoľvek, bez ohľadu na podnebie či extrémne faktory životného prostredia.

Pomocou Flex C-Mentu sa dajú realizovať špeciálne dizajny na budovy, chodníky, v parkoch, reštauráciách, oporné a záhradné múry, terénne a záhradné aplikácie, atď.

Flex-C-Ment is designed to be used anywhere in the world regardless of climate or extreme environmental factors.

With Flex-C-Ment, custom designs can be realized on buildings, walkways, parks, restaurants, swimming pools, retaining & garden walls, and landscaping applications.



FLEX-C-MENT

THE ORIGINAL
Vertical Stamping






Flex C-Ment je veľmi vhodný pre jednu z kategórií a zvláštnu aplikáciu – je to perfektná voľba pre dizajnérov, ktorí môžu využiť tieto produkty na aplikáciu v hoteloch, reštauráciách, kluboch, obchodoch a v ďalších nebytových a obchodných priestoroch. Zákazník si môže skutočne vybrať zo širokej škály aplikácií, kde výsledný efekt závisí od fantázie dizajnéra, resp. užívateľa.

Flex-C-Ment is very suitable for one of a kind and unique application. It is also a perfect choice for designers who want to use these products in hotels, restaurants, clubs, shops and other such businesses. Imagination is the only limiting factor of Flex-C-Ment applications.




FLEX-C-MENT

THE ORIGINAL
Vertical Stamping



Pomocou Flex C-Mentu je možné ľahko vytvoriť architektonické prvky, ako napr. stĺpy, oblúky, rámy, stropné trámy, nárožné kamene, tehly, atď.

Architectural details such as columns, arches, frames, beams, corner coins and other elements can be easily created with Flex-C-Ment.



FLEX-C-MENT

THE ORIGINAL
Vertical Stamping





Flex C-Ment nástenné a podlahové dezény
Flex-C-Ment Wall and Floor Imprinting Designs



Wall Single Stone Stamp
 Set 5 Pcs (29x27cm/30x34cm/
 41x35cm/35x30cm/28x30cm)
 No. IT001 (2 cm)



Orchard Stone Stamp
 Set of 4 Pcs (80 x 32 cm / 4 pcs)
 No. IT002 (2 cm)



Wall Texture Stamp
 Set of 3 Pcs
 (50x32cm/35x43cm/43x45 cm)
 No. IT003 (1 cm)



Deep Texture Dry Stack Stamp
 Set 4 Pcs (37x49 cm / 4 pcs)
 No.IT004 (2 cm) / (1cm option
 available)



Southern Ledge Stone Stamp
 Set of 3 Pcs (79x40 cm / 3 pcs)
 No.IT005 (2 cm)



Mountain Dry Stack Stamp
 Set of 5 Pcs (48x31cm/3pcs-9x29c
 m/2pcs)
 No.IT006 (2 cm)



Ashlar Stone Stamp Set
 Set of 2 Pcs (floor) 60x60 cm
 No.IT007 (1 cm)



Used Brick Stamp
 1 piece (43 x 86 cm)
 No.IT008 (1 cm)



Old Cobble Stone Stamp
 1 Piece (111 x 50 cm)
 No.IT009 (1 cm)



Garden Stone Stamp
 (106 x 106 cm)
 No.IT010 (1 cm) (floors)



Troy Stone Stamp
 Set 5 Pcs (29x27cm
 /30x34cm/41x35cm/35x30cm/28x30cm)
 No. IT001 (2 cm)




Random Stone Wall Stamp
 Set of 3(48x48 cm/3pcs)
 No.IT012 (2 cm)

Flex C-Ment nástenné a podlahové dezény

Flex-C-Ment Wall and Floor Imprinting Designs



Rustic Stone Stamp
Set of 4 (83x30cm/2pcs - 46x33cm/2pcs)
No.IT013 (1 cm)



Blue Random Slate Stamp
Set of 3 (floors) (74x74 cm)
No.IT014 (1 cm)



Large Cobble
Set of 2 (60x130 cm/2pcs)
No.IT015 (floors) (1 cm)



Cobble Stone Stamp
Set of 2 (52x27 cm / 2 pcs)
No.IT016 (1,5 cm)



Mediterranean Stack Stamp
Set of 5-(39x48 cm/3pcs-20x48 cm/2pcs)
No.IT017 (1,5 cm)




Shallow Dry Stack Stamp
Set of 3 (49x31 cm / 3 pcs)
No.IT018 (1,5 cm)



Super Stack Stamp
1 piece (50x30 cm) No.IT019 (1cm)



Cut Lime Stone Stamp
Set of 4 (70x40cm) No.IT020 (2 cm)



Vineyard Stone Stamp
Set of 3 (27x60 cm/3pcs)
No.IT021 (2 cm)



Master Fit Stack Stone
Set of 3 (37x36 cm/3 pcs)
No.IT 022 (1,5 cm)



Castle Stone Stamp
Set of 6 (58x35cm/3pcs-15x23-8x14-29x14 cm) No.IT023 (1,5cm)



Various Stone Textures
Set of 3 No.IT 024 (1 cm)

Flex C-Ment nástenné a podlahové dezény
Flex-C-Ment Wall and Floor Imprinting Designs



Bark Texture Skins with knots
 Set of 5 No. IT 025 (1cm)



Ingush Stone Stamp
 Set of 2
 NO.IT 0026 (1 cm)



Wall Field Stone Stamp
 Set of 3 NO.IT 0027 (1 cm)



Small Orchard Stone Stamp
 Set of 3 (40x70cm) IT 028 (2cm)



Floor Texture Stamp
 Set of 2(Hand Carved)
 No.TS001 (1 cm)



Flex Stone Stamp
 (90x90cm)
 No.TS002 (1 cm)



Pebble Texture Stamp
 (90x90cm)
 No.TS003 (1 cm)



Granite Texture Skin
 (90x90cm)
 No.TS004 (1 cm)



Earth Stone Texture Skin
 (90x90cm)
 No.TS005 (1 cm)



Travertine Texture Skin
 (90x90cm)
 No.TS008 (1 cm)



Antique Slate Stamp
 No.TS009 (1cm) (90x90 cm)



Leaves Stamp
 (90x90cm)
 No.TS010 (1 cm)

Flex C-Ment nástenné a podlahové dezény

Flex-C-Ment Wall and Floor Imprinting Designs

FLEX-C-MENT



Wood Texture Skin Stamp
(26x85 cm)
No.TS011 (1cm)



Lime Stone Texture Stamp
(60x60cm)
No.TS012 (1 cm)



Granite Texture Skin Stamp
(60x60cm)
No.TS013 (1 cm)



Rough Texture Skin Stamp
(60x60cm)
No.TS014 (1 cm)



Rough Texture Skin with Sea Shells
(60x60cm)
No.TS015 (1 cm)



Roasted Stone Texture Skin Stamp
(60x60cm)
No.TS016 (1 cm)



Anatolian Texture Skin Stamp
(60x60cm)
No.TS017 (1 cm)



Antique Slate Texture Stamp
(60x60 cm)
No.TS018 (1cm)



Earth Stone Texture Stamp
(60x60cm)
No.TS019 (1 cm)



Flex Stone Stamp
(60x60cm)
No.TS020 (1 cm)




Leaves Stamp (60x60cm)
No.TS021 (1 cm)



European Texture Skin Stamp
(60x60cm)
No.TS022 (1 cm)

Flex C-Ment nástenné a podlahové dezény
Flex-C-Ment Wall and Floor Imprinting Designs




Brick Texture Stamp
 HAND CARVED
 No.TS023 (1 cm)



Travertine Texture Skin Stamp
 (60x60cm)
 No.TS024 (1 cm)



Pocket Texture Skins
 No. TS025 30x25 cm
 Set of 4 Pieces



Alpina Ashlar Skin Stamp
 No.TS026 (1 cm) (60x60cm)



Cornwall Texture Skin Stamp
 No.TS027 (1 cm) (60x60cm)



Hammered stone Texture Skin Stamp
 No.TS028 (1 cm) (60x60cm)




Milano Slate Texture Skin Stamp
 No.TS029 (1 cm) (60x60cm)



Romano Slate Texture Skin Stamp
 No.TS030 (1 cm) (60x60cm)



Used Brick Texture Skin Stamp
 No.TS031 (1 cm) (60x60cm)



Weathered Slate Texture Skin Stamp
 No.TS032 (1 cm) (60x60cm)
 No.TS008 (1 cm)

Flex-C-Ment textúry povrchu
Flex-C-Ment Texture Rollers

FLEX-C-MENT



FCMR2



FCMR3



FCMR4



FCMR5



FCMR6



FCMR7



FCMR8



FCMR9



FCMR10



FCMR11



FCMR12



FCMR13



Aplikáciou Primer 100 zabezpečíte trvanlivú inštaláciu.

Po nanosení omietky – nástennej zmesi, použijete polyuretánové razníky – raziace formy na vytvorenie – vtlačenie požadovanej formy a dizajnu na povrchu.

Po úplnom vyschnutí materiálu povrch zafarbíte na dosiahnutie požadovanej farby.


Posledným krokom je aplikácia ochranného laku.

Application of Primer 100 on the surface ensures a durable installation.

Following the application of the wall mix, polyurethane stamps are used to imprint the desired texture and design on the surface.

Once the material is dry enough coloring process takes place to achieve the desired colors.

Final step is the application of the protective sealer.




FLEX-C-MENT

THE ORIGINAL
Vertical Stamping




Raziace /vytvárajúce vzor/ formy do betónu
Stamped Concrete Imprinting Tools

FLEX-C-MENT




GARDEN STONE (106 cm x 106 cm) (No.ITB-001)



PALLADIAN SLATE STONE (91 cm x 91 cm) (No.ITB-002)



EUROPEAN FAN STONE (66 cm x 117 cm) (No.ITB-003)



BOARDWALK - 3 (208 cm x 46 cm) (No.ITB-004)



BOARDWALK - 5 (180 cm x 75 cm) (No.ITB-005)



BORDER STAMP (22 cm x 81 cm) (No.ITB-006)



ASHLAR STONE STAMP (61 cm x 61 cm) (No.ITB-007) A & B



RANDOM BLUE STONE STAMP (74x74 cm)(No.ITB-008) A&B&C

Raziace /vytvárajúce vzor/ formy do betónu
Stamped Concrete Imprinting Tools


FLEX-C-MENT



HERRINGBONE STAMP (81 cm x 91 cm) (ITB-009)




LONDON COBBLE STAMP (43 cm X 76 cm) (ITB-010)





OLD ENGLISH STAMP (43 cm x 76 cm)(ITB-011)




WESTERN ASHLAR STAMP (61 cm x 61 cm) (ITB-012)



LARGE BUSHED STONE BORDER (30 cm x 122 cm) (ITB-013)



PEBBLE STONE STAMP (81 cm x 81 cm) (No.ITB-014)





RIVER STONE STAMP (70 cm x 70 cm) (No.ITB-015)




EDGE STONE STAMP (84 cm x 84 cm) ITB 016

Raziace /vytvárajúce vzor/ formy do betónu Stamped Concrete Imprinting Tools


FLEX-C-MENT




CIRCLE STONE STAMP (75 / 150 / 225 cm radius) ITB 017




ASHLAR SLATE STAMP (61 cm x 61 cm) (No.ITB-018) A & B & C



ORCHARD SLATESTAMP (134cmx119cm) (No.ITB-019) A & B & C



DIAMOND TILE STAMP (46 cm x 92 cm) (No.ITB-020)




WOOD PLANK STAMP (30 cm x 41/82/123/164/205cm) (ITB-021)



SOLDIER COARSE BORDER STAMP (73 cm x 21,5 cm / 21,5 cm x 21,5 cm) (ITB-022)




ENGLAND BASKET WAVE (60cm x 90 cm) (No.ITB-023)



TRANCUATED DOME MAT (60 cm x 60 cm) (No.ITB-024)

Raziace /vytvárajúce vzor/ formy do betónu
Stamped Concrete Imprinting Tools

FLEX-C-MENT




GROOVED MAT (40 cm x 80 cm) (No.ITB-025)




BLUE STONE STAMP (46 cm x 92 cm) (No.ITB-026) A & B & C




BRICK RUNNING BOND (81,5 cm x 51 cm) (No.ITB-027)




LISBON GRANITE (84 cm x 64 cm) (ITB-028)



OLD HERRINGBONE BRICKSTAMP (74 cm x 108 cm) ITB 029



LARGE COBBLE (61 cm x 130 cm) (ITB-030) A & B




SANTA BARBARATILE (78cm X 78 cm) (ITB 031)




FIELD STONE STAMP (50 cm x 76 cm) (ITB-032)

Raziace /vytvárajúce vzor/ formy do betónu
Stamped Concrete Imprinting Tools


FLEX-C-MENT




TILE BLUE STONE STAMP (60 cm x 90 cm) (ITB-033)



SAND STONE STAMP (90 cm x 90 cm) (ITB-034)




3 D CUBIC STONE STAMP (105cm X43 cm) (ITB 035)





WALK WAY STAMP (45,5 cm x 91 cm) (No.ITB-036)



COMPASS STAMP (120 cm x 120 cm) ITB 037



"2 ROW" STONE BORDER STAMP (23,5 cm x 79 cm) (No.ITB-038)




GRANITE TEXTURE SKIN STAMP (90x90cm)




FLOPPY STONE TEXTURE STAMP (90x90cm)

Raziace /vytvárajúce vzor/ formy do betónu
Stamped Concrete Imprinting Tools


FLEX-C-MENT




LEAVES TEXTURE SKIN (90x90cm)



EARTH STONE TEXTURE SKIN (90 cm x 90 cm)



TRAVERTINE TEXTURE SKIN (90 cm x90 cm)



ANTIQUE SLATE TEXTURE SKIN (90 cm x 90 cm)




**Kíbová, ohybná hlavica – sklopný držiak
– 6-dierový**

HT 001



Ploché hladidlo (15x45 cm)

HT 002



Vyrovnávač hrúbky podlahovej zmesi (85 cm)

HT 003



6´ alumíniová rukoväť

HT 004



48" veľký "D" BS podlahový hobel'

HT 005



8x4-1/2 ručná obrubovačka, lemovávačka,
hranovačka

HT 006



Magnéziové hladítko – stieradlo so
zaoblenými hranami

HT 007




Buchar (25x25x150 cm)

HT 008

FLEX-C-MENT



THE ORIGINAL
Vertical Stamping



ALECTO s.r.o.

ul. M. Kišša 1, 91105 Trenčín
Tel: +421905510155
email: sramek@flexcement.sk
alectosro@gmail.com

www.flexcement.sk